

Care CEUs

The Impact of Preterm Birth

1. Which of the following statements best describes a very preterm birth?

- A. The birth of a live baby that is born at or before 25 weeks of pregnancy.
 - B. The birth of a live baby that is born at less than 32 weeks of pregnancy.
 - C. The birth of a live baby that is born between 32 and 34 weeks of pregnancy.
 - D. The birth of a live baby that is born between 34 and 36 completed weeks of pregnancy.
-

2. A 30-year-old new mother has questions regarding retinopathy of prematurity. Which of the following educational points should be expressed to the patient?

- A. Retinopathy of prematurity only affects male preterm babies.
 - B. Retinopathy of prematurity does not usually affect both eyes.
 - C. White pupils may be a sign/symptom of retinopathy of prematurity.
 - D. Stage 1 retinopathy of prematurity is the most severe stage of retinopathy of prematurity.
-

3. A health care professional has questions regarding screening babies for hearing loss. Which of the following informational points of interest should be communicated to the health care professional?

- A. All babies should have a hearing screening no later than one month of age.
 - B. All preterm babies should have a hearing screening no later than two months of age.
 - C. All babies should have a hearing screening no later than four months of age.
 - D. All preterm babies should have a hearing screening no later than four months of age.
-

4. According to the course, what is the main sign that a child may have cerebral palsy?

- A. An individual does not respond to his or her name by 12 months of age.
 - B. A delay reaching motor or movement milestones.
 - C. Excessive weight gain
 - D. Weight loss
-

5. Which of the following best represents an unusual behavior symptom associated with ASD?

- A. An individual often appears to "tune out" other individuals.
 - B. An individual avoids eye-contact.
 - C. An individual often reverses pronouns.
 - D. An individual has obsessive interests.
-

6. A 28-year-old new mother has questions regarding postpartum depression. Which of the following educational points should be expressed to the patient?

- A. Postpartum depression does not typically affect women over the age 18.
 - B. Postpartum depression does not typically affect women over the age of 25.
 - C. Having trouble bonding or forming an emotional attachment with an infant is often a sign/symptom of postpartum depression.
 - D. Nocturnal enuresis is often a sign/symptom of postpartum depression.
-

7. Which of the following statements is most accurate?

- A. Heavy drinking is defined as 15 or more drinks a week for men.
 - B. Heavy drinking is defined as 18 or more drinks a week for men.
 - C. Heavy drinking is defined as 10 or more drinks a week for women.
 - D. Heavy drinking is defined as 12 or more drinks a week for women.
-

8. A 40-year-old male is admitted into a health care facility. The patient informs a health care professional that he is the father of a newborn preterm baby. The patient also informs a health care professional that he is having thoughts of suicide. According to the course, how should health care professionals reduce the risk for patient suicide?

- A. Confine the patient to his bed at all times.
 - B. Conduct an environmental risk assessment that identifies features in the physical environment that could be used to attempt suicide.
 - C. Avoid one-to-one monitoring.
 - D. Avoid group treatment options.
-

9. New parents have questions regarding breast milk storage. Which of the following educational points should be expressed to the new parents?

- A. Freshly expressed breast milk may be stored in the refrigerator for up to four days.
 - B. Freshly expressed breast milk may be stored in the refrigerator for up to six days.
 - C. Freshly expressed breast milk may be stored in the refrigerator for up to seven days.
 - D. Freshly expressed breast milk may be stored in the refrigerator for up to eight days.
-

10. A new mother is breastfeeding her preterm baby. According to the course, how much vitamin D should the baby receive per day?

- A. 200 IU per day
 - B. 400 IU per day
 - C. 1200 IU per day
 - D. 1800 IU per day
-

Copyright © 2024 Care CEUs

Visit us at <https://www.careceus.com>